

Choosing the right fridge and freezer 1995 Storing with your Neff fridge and freezer 1996 Fridges and freezers at a glance 2006 Fridges and freezers in detail 2006 Detailed specifications 214

# Which combination of fridge and freezer should I choose?

At Neff, we're constantly working to improve our range of built-in fridges and freezers so there's something for everyone.

So whether you need a streamlined space saver or a large American style fridge freezer that can cope with the demands of a hungry family, we're confident that there's a model to suit. It's the attention to detail that makes all the difference – frost free, AntiSpill shelves and CircoCool. And all our fridges have an 'A' energy rating, and are coated inside with a special anti bacterial system.





Left, model K9724

# Choosing the right fridge and freezer







### **Options**

There's something for everyone in our integrated refrigeration collection, so you can always find the fridge or freezer to meet your requirements.

### Fridge with freezer compartment

Our integrated fridges with 4-star freezer compartments are the perfect solution if you don't need much freezing space. Pack away your entire week's shopping in the generous storage space and pop an indulgent tub of ice cream – or two – in the freezer compartment for long term storage.

### Larder fridge

Larder fridges are so called because they provide a huge amount of space to keep all your fresh foods cool, just like a larder. Models include the extra large and eye level options, all featuring our latest technology and design.

### Fridge/freezer

A fridge and a freezer designed to fit in a single housing unit.

Each has its own door, but shares the same compressor unit, saving energy and money.

### Matching fridge and freezer

A twinned fridge and freezer combination which can be built into a unit with the fridge on top of the freezer or a single fridge built in at eye level over a standard cupboard. Though these are both compact appliances they offer a surprising amount of storage space.

### Built-under fridge and freezer

Our integrated side-opening fridge with a 4-star freezer fits snugly under your work surfaces to meet all your everyday needs. Or, if you prefer, the side by side installation offers a matching fridge and freezer combination, surprisingly roomy for such a compact appliance.

### American style fridge freezer

They're big, they're bold, and there's plenty enough space for even the largest family's chilled and frozen storage requirements. American style fridge freezers with their trademark side-by-side doors and stainless-steel-finish cut a dash in any style of kitchen and are packed with useful features and functions. Neff has introduced its first free-standing model, K3990 which sets new standards in design and practicality, and is fully clad in stainless steel top, sides and front.

It's really capacious, and comes with a unique temperature-controlled VarioBox, so you can store different types of food such as vegetables or meat at the most appropriate temperature. Wine bottles slot neatly into the supplied moveable wine rack. There's water and ice on tap too – the fridge freezer is plumbed in, has a 2.5 litre water storage tank, and is capable of producing 100 ice-cubes in 24 hours – more than enough for a party!





When you choose your fridge and freezer you should consider the following:

Are you looking for a separate fridge and freezer or a fridge with a built-in freezer?

See 'Options' opposite

Are you replacing an integrated fridge or freezer?

See 'Integration' on p197

What other functions are you looking for?

See 'Functions' on p199

### Images shown:

- 1 Fridge with 4-star freezer compartment **K4664**
- 2 Extra large larder fridge **K4624**
- 3 Frost free fridge/freezer K9724
- 4 Built under fridge **K4316** and freezer **G4344**
- 5 American style fridge freezer **K3990**



### Efficiency

### Energy

We are right at the forefront of refrigeration technology. Not only are all the fridges and freezers in our current range free of harmful CFCs and HFCs, but all the appliances come with an 'A' rating. Some of the latest fridges can achieve the same storage temperatures as your local supermarket, allowing you to keep fresh fruit and vegetables at peak freshness for longer periods of time.

### Temperature

Many of our new models have electronic controls so it's easy to maintain the exact temperature in the fridge at a glance. This means also you can operate the SuperFreeze function when you're freezing fresh food to lower the temperature for more rapid freezing. The SuperCool function can be used when you've done your weekly shop and are putting a lot of food into the fridge. By operating SuperCool, you are preventing the increase in temperature you'd normally expect when you add a large amount of fresh food. Once the food is cold, the temperature automatically reverts to the appropriate setting. Several new fridges also have special humidity controlled drawers, suitable for storing fruit and vegetables. Openings at the back of the drawers can be altered to control the flow of air and retain moisture.

### Frost free

All our fridges feature an automatic defrost operation via the cold wall refrigeration system. Our freezer models K9724 and K3990 have the added benefit of being 'frost free'. This means you don't have to spend time defrosting your appliance, because it's done automatically before it has a chance to build up.

### Images shown:

left, extra large larder fridge K4624

- 1 Removable magnetic door seal
- 2 Fixed hinge
- 3 Sliding hinge



### Integration

For total integration into your kitchen design, there are two types of appliance door hinges: fixed hinge or sliding hinge.


This provides two straightforward installation options - depending on your preference and the model being replaced.

### Fixed hinge

The benefits of this type of hinge are that you can add more weight to the door, and open it at a larger angle, making access and use easier. The doors close automatically at an angle of approx 15%.

### Sliding hinge

The hinged furniture door is attached to the appliance with a series of brackets. As the furniture door opens, the appliance door is opened via the sliding bracket arrangement. It's best to discuss your needs with a skilled kitchen fitter before installation.



## FAQ

Between O°c and 5°c. Any warmer, and the food will go off. Any colder, and fresh food can be ruined and nutrients lost. In addition, to maximise the freshness of your food you should look for an appliance with a fan or with CircoCool shelving so that hot spots are minimised.

Your cooling appliance is operating 24 hours a day, 7 days a week, 365 days a year. After central heating, refrigeration appliances are the biggest domestic users of energy, because they're on all the time.

So when you're ready to replace a refrigeration appliance, it's worth looking for those rated A as they are energy-efficient and relatively cheap to run.

The range of Neff appliances are now all A rated - saving you money and optimising on energy consumption.

Neff appliances are designed and built to keep your food in the best condition and to ensure that everything stays fresher for longer. This includes giving you features such as accurate electronic controls, deli drawers, enhanced air circulation in the fridges with CircoCool shelving and ripple based vegetable containers.

## Storing with your Neff fridge and freezer

Neff fridges and freezers are designed to keep your food as safe and fresh as possible. So now you can store everything you need with cool, calm confidence.

### How does a 'frost free' freezer work?



Frost free freezers react to any signs of frost automatically, so it never has a chance to build up.

With a frost free freezer air is blown from the back wall and circulates over the items in the freezer. As a result, there is no condensation or build up of frost and food does not freeze together. This removes the hassle and time spent in defrosting, allowing time for other things.

Frost free features on models K9724 and K3990, all other freezers will require occasional defrosting. All our fridges have an automatic defrost function.

### Electronic controls

Many of the models in the collection SuperCool can be used when feature electronic controls. These allow you to check the temperature at a glance and control it easily. It's also where you can activate the SuperCool and SuperFreeze functions.

you're putting a lot of new food into the fridge. It allows for the increase in temperature that occurs when you add fresh food. As soon as the food is cold, the fridge will readjust to the normal temperature.

SuperFreeze is useful when you're freezing fresh food, as it lowers the temperature for more rapid freezing.

### **Functions**

### 4-star freezer rating

Freezers with a 4-star rating are suitable for freezing fresh food and long term storage.

### Anti bacterial system

This prevents the growth of microorganisms on the interior walls of your fridge, providing a safe and hygienic environment for your food. This anti bacterial system doesn't harm the environment and will last as long as your fridge does.

### AntiSpill trims

The shelves inside our fridges are made of safety glass and incorporate an AntiSpill trim, which will hold up to a pint of liquid, saving the food below if there's an accidental spillage.

### Climate classification

Refrigeration appliances operate within specific ambient temperature ranges and are classified according to the maximum and minimum room temperatures they'll tolerate.

### Fruit and vegetable drawer

Neff's fruit and vegetable boxes have been redesigned and improved. They now feature a rippled base, which allows air to circulate under the chilled produce, keeping it fresh and crisp for longer. You can also remove the box more easily, even when the fridge door is open at an angle of 90°. Selected models have a small inner tray that has been cleverly incorporated into the top. It's perfect for storing the small piece of lemon or onion you've kept to use later.

### CircoCool®

The CircoCool® system uses vent holes at the back of the fridge shelves to create better circulation of air inside the fridge. This minimises 'hot spots' and creates a more even temperature throughout so that food stays fresher for longer.

### Krypton light

The Krypton light is bright and natural, dramatically improving internal visibility. So there's no more struggling to find what you're looking for inside your fridge.





Images shown:

- 1 Electronic controls
- 2 Humidity controlled fruit and vegetable drawers with small
- 3 AntiSpill trims and split shelf

# nes and freezers

### Fridges and freezers at a glance

Overview continues on next page

### Freestanding fridge freezer



American style fridge freezer **K3990** 

Product in detail p203
Detailed specifications p214



Fridge with 4-star freezer compartment K4664

Product in detail p204
Detailed specifications p214





Extra large larder fridge K4624

Product in detail p205
Detailed specifications p214



Larder fridge K5614

Product in detail p206 Detailed specifications p214



Fridge with 4-star freezer compartment **K5654** 

Product in detail p204 Detailed specifications p214



Larder fridge K5624

Product in detail p205 Detailed specifications p214

### Fridge freezer



Frost free fridge/freezer K9724

Product in detail p206 Detailed specifications p214



Fridge/freezer K4254

Product in detail p207 Detailed specifications p214



Mini fridge/freezer K9514

Product in detail p208 Detailed specifications p215



Fridge/freezer K9524

Product in detail p207
Detailed specifications p214



Fridge/freezer K8524

Product in detail p208
Detailed specifications p215

### Fridges and freezers at a glance Fridges and freezers in detail

### Matching fridge and freezer





Matching fridge and K5604/G5624

Product in detail p210 Detailed specifications p215



Built-under fridge with 4-star freezer compartment K4336

Built under fridge and freezer

Product in detail p212 Detailed specifications p215





Matching fridge and K1514/G1524

Product in detail p211 Detailed specifications p215





### Matching fridge and

K4316/G4344

Product in detail p213 Detailed specifications p215





### American style fridge freezer K3990



### Special features

CircoCool shelving Frost free freezer 2 drawers in fridge

Illuminated door dispenser for ice cubes, crushed ice, chilled water\*

### Technical features

1 VarioBox

HFC and CFC free 536 litre (18.9cu ft) total capacity Fridge capacity 352 litres (12.4cu ft) Freezer capacity 184 litres (6.5cu ft) Automatic defrost in fridge 1 fixed, 3 adjustable safety glass

shelves in fridge Adjustable door compartments Krypton light for improved

2 shelves, 2 drawers in the

5 fixed door racks in the freezer Total energy consumption per year 522kWh

Energy efficency rating - A Electronic control

Temp controlled Variobox Full width wine rack

Full width dairy compartment

### Standard accessories

1 7m water hose

1 water filter

1 egg tray

\*Requires permanent water connection

Detailed specifications p214 Detailed dimensions p216



### Fridge with 4-star freezer compartment

K4664 1772mm



### Special Features

Fridge with 4-star freezer compartment Internal LED electronic display

SuperCool and FastFreeze

CircoCool shelving

Krypton light

function

Pull out fridge tray

Anti bacterial system inside

Height adjustable safety glass shelves (one divides) with AntiSpill trim

2 humidity controlled salad drawers

Freezer door open warning

Removable magnetic door seal

### Technical features

Fixed hinge system 290 litre (10.2cu ft) total capacity Fridge capacity 253 litres (8.9cu ft) 4-star freezer compartment, 37 litre (1.3cu ft) - 19°) or lower Automatic defrost in fridge Reversible door

Variable door fittings Total energy consumption per year 303kWh

Energy efficiency rating - A Approximate annual running cost = £21.21

CFC, HFC free

Detailed specifications p214 Detailed dimensions p216



### Fridge with 4-star freezer compartment

K5654 1221mm



### Special features

Fridge with 4 star freezer CircoCool shelving Krypton light Pull out fridge tray Anti bacterial system inside Height adjustable safety glass shelves with AntiSpill trim Humidity controlled salad drawer

Freezer door open warning

Removable magnetic door seal

### Technical features

Fixed hinge system 206 litre (7.3cu ft) total capacity 4-star freezer compartment, 17 litre (0.6cu ft) capacity Automatic defrost in fridge Reversible door Interior light Variable door fittings Adjustable thermostat Total energy consumption per year 237kWh Energy efficiency rating - A Approximate annual running cost

Detailed specifications p214 Detailed dimensions p217

=£16.59

CFC. HFC free



### Extra large larder fridge

K4624 1772mm

### Special Features

Internal LED electronic display SuperCool function Pull out fridge tray Anti bacterial system inside Height adjustable safety glass shelves (one divides) with AntiSpill trim

Internal fridge fan 2 humidity controlled salad

Removable magnetic door seal

### Technical features

Fixed hinge system 314 litre (11.1cu ft) total capacity Automatic defrost Reversible door Interior light Variable door fittings Total energy consumption to 179kWh Energy efficiency rating - A

Approximate annual running cost

CFC, HFC free

Detailed specifications p214 Detailed dimensions p216

### Larder fridge K5624 1221mm

### Special features

CircoCool shelving Krypton light Pull out fridge tray Anti bacterial system inside Height adjustable safety glass shelves with AntiSpill trim Humidity controlled salad drawer Removable magnetic door seal

### Technical features Fixed hinge system

226 litres (8.0cu ft) total capacity Automatic defrost Reversible door Interior light Variable door fittings

Total energy consumption per year 157kWh

Energy efficiency rating - A Approximate annual running cost

CFC, HFC free

Detailed specifications p214 Detailed dimensions p217





### Larder fridge K5614 1021mm

### Special features

CircoCool shelving Krypton light Pull out fridge tray Anti bacterial system inside Height adjustable safety glass shelves with AntiSpill trim Humidity controlled salad drawer Removable magnetic door seal

### Technical features Fixed hinge system

184 litres (6.5cu ft) total capacity Automatic defrost Reversible door Variable door fittings Total energy consumption per year 153kWh Energy efficiency rating – A Approximate annual running cost =£10.73 CFC. HFC free

Detailed specifications p214 Detailed dimensions p217

### Frost free fridge/freezer **K9724 ★** 1772mm

### Special features

4 transparent freezer drawers

Removable magnetic door seals

Frost free freezer Fixed hinge system Internal LED electronic display 235 litre (8.2cu ft) total capacity SuperCool and SuperFreeze 147 litre (5.2cu ft) refrigerator functions Krypton light 88 litre (3.0cu ft) freezer capacity High temperature warning alarm Automatic defrost in fridge Pull out fridge tray Reversible doors Anti bacterial system inside Interior Light (25W) in fridge Height adjustable safety glass shelves with AntiSpill trim Total energy consumption per year 336kWh Internal fridge fan Approximate annual running cost 2 humidity controlled salad drawers with 1 small inner tray

CFC, HFC free

Energy efficiency rating - A

Technical features

Detailed specifications p214 Detailed dimensions p217

# Fridge/freezer K9524 1772mm

### Special features

Internal LED electronic display SuperFreeze function CircoCool shelving Krypton light Pull out fridge tray Anti bacterial system inside Height adjustable safety glass shelves with AntiSpill trim Humidity controlled salad drawer 3 transparent freezer drawers Individual freezer elements Removable magnetic door seals

### Technical features

Fixed hinge system 285 litre (10.4cu ft) total capacity 222 litre (7.8cu ft) fridge section 63 litre (2.2cu ft) freezer section Freezing capacity 4kg in 24 hours Automatic defrost in fridge Reversible doors Interior light (25W) in fridge Variable door fittings Total energy consumption per vear 306.6kWh Energy efficiency rating - A Approximate annual running cost =£21.00 CFC, HFC free

Detailed specifications p214 Detailed dimensions p217

### Fridge/freezer K4254\* 1772mm

### Special features

Internal LED electronic display SuperFreeze function CircoCool shelving Krypton light Pull out fridge tray Anti bacterial system inside 3 height adjustable safety glass shelves with AntiSpill trim Humidity controlled salad drawer 4 transparent freezer drawers Individual freezer elements Removable magnetic door seals Technical features

Fixed hinge system 263 litre (9.3 cu ft) total capacity 167 litre (5.9 cu ft) fridge section 96 litre (3.4 cu ft) freezer capacity Freezing capacity 4kg in 24 hours Automatic defrost in fridge Reversible doors Variable door fittings

Total energy consumption per year 419kwh Energy efficiency rating – A

Approximate annual running cost =£28.70

CFC, HFC free

\*Available in model K4204 with sliding hinge system. See model K8524 for door compartments and freezer drawers

Detailed specifications p214 Detailed dimensions p218



### Fridge/freezer K8524 (♣ 1772mm

### Special features CircoCool shelving

Anti bacterial system inside 4 height adjustable safety glass shelves with AntiSpill trim Humidity controlled salad drawer 3 white freezer drawers Individual freezer elements

Removable magnetic door seals

### Technical features

Sliding hinge system 282 litre (9.9cu ft) total capacity 219 litre (7.7cu ft) fridge section 63 litre (2.2cu ft) freezer section Automatic defrost in fridge Reversible doors Interior light (25W) in fridge Variable door fittings Total energy consumption per year 419kWh Energy efficiency rating – A Approximate annual running cost CFC, HFC free

Detailed specifications p215 Detailed dimensions p218



### Mini fridge/freezer **K9514** (1578mm

### Special features

Internal LED electronic display SuperFreeze function CircoCool shelving Krypton light Pull out fridge tray Anti bacterial system inside 3 height adjustable safety glass shelves with AntiSpill trim Humidity controlled salad drawer 3 transparent freezer drawers Individual freezer elements

### Technical features

Fixed hinge system 244 litre (8.6cu ft) total capacity 181 litre (6.4cu ft) fridge section 63 litre (2.2cu ft) freezer section Freezing capacity 4kg in 24 hours Automatic defrost in fridge Reversible doors Interior light (25W) in fridge Variable door fittings Total energy consumption per year 292kWh Approximate annual running cost =£20.00 CFC, HFC free Detailed specifications p215

Detailed dimensions p219

208





### Fridge

# Special features Pull out fridge tray CircoCool shelving Krypton light Anti-hacterial system

Anti bacterial system inside
Height adjustable safety glass
shelves with AntiSpill trim
Humidity controlled salad drawer
Removable magnetic door seal

### Technical features

Fixed hinge system
153 litre (5.4cu ft) total capacity
Automatic defrost
Reversible door
Interior light
Variable door fittings
Total energy consumption per
year 146kWh
Energy efficiency rating – A
Approximate annual running cost
= £10.22

Detailed specifications p215
Detailed dimensions p219

CFC. HFC free



### Fridge

### Special features

Anti bacterial system inside CircoCool shelving Height adjustable safety glass shelves with AntiSpill trim Humidity controlled salad drawer Removable magnetic door seal

### Technical features

Sliding hinge system
151 litres (5.3cu ft) total capacity
Automatic defrost
Reversible door
Variable door fittings
Total energy consumption per
year 154kWh
Energy efficiency rating – A
Approximate annual running cost
= £10.75
CFC, HFC free

Detailed specifications p215
Detailed dimensions p219

### Freezer

### Special features

SuperFreeze function
Optical and acoustic warning system

1 freezer drawer with removable pull out berry tray

4 transparent freezer drawers Individual freezing elements Removable magnetic door seal

### Technical features

Fixed hinge system

106 litre (3.7cu ft) total capacity

Freezing capacity 12kg in 24 hours

Reversible door

Total energy consumption per year 208kWh

Energy efficiency rating – A

Approximate annual running cost

= £14.56

CFC, HFC free

Detailed specifications p215 Detailed dimensions p219

### Freezer

### Special features

SuperFreeze function
High temperature warning light
4 white drawers
Individual freezing elements

Removable magnetic door seal

### Technical features

Sliding hinge system

98 litres (3.5cu ft) capacity
Freezing capacity 12kg in 24 hours
Reversible door

Thermostat control

Total energy consumption per

year 208kWh Energy efficiency rating – A

Approximate annual running cost

= £14.56 CFC, HFC free

Detailed specifications p215 Detailed dimensions p219



### Built-under fridge with 4-star freezer compartment

K4336 \$18mm



### Special features

Fridge with 4 star freezer compartment Built-under fridge

Anti bacterial system inside Height adjustable safety glass

shelves (one divides) with AntiSpill trim

Recessed fruit and vegetable drawer

Removable magnetic door seal

Interior light Variable door fittings Total energy consumption per year 204kWh Energy efficiency rating – A

Technical features

Fixed hinge system

compartment

Reversible door

132 litre (4.7 cu ft) total capacity

116 litre (4.1cu ft) fridge section

4-star, 16 litre (0.6cu ft) freezer

Automatic defrost in fridge

Approximate annual running cost

=£14.28 CFC. HFC free

Detailed specifications p215 Detailed dimensions p219





### Matching built-under fridge and freezer

Fridge



### K4316/G4344 🕏 818mm 🗘 818mm

### Special features

Built-under fridge

Anti bacterial system inside

Height adjustable safety glass shelves (one divides) with AntiSpill trim

Recessed fruit and vegetable

Removable magnetic door seal

### Technical features

Fixed hinge system

142 litre (5.0cu ft) capacity Automatic defrost

Reversible door

Interior light

Variable door fittings

Total energy consumption per year 146kWh

Energy efficiency rating - A Approximate annual running cost =£10.22

CFC, HFC free

Detailed specifications p215 Detailed dimensions p219

### Freezer

Special features Built-under freezer

Control panel incorporating red warning light and acoustic alarm,

amber SuperFreeze light, green operating light

3 transparent freezer drawers Individual freezer elements for

Removable magnetic door seal

### Technical features

Fixed hinge system

100 litre (3.5cu ft) total capacity Freezing capacity 15kg in 24 hours Internal freezer temperature gauge

SuperFreeze function

Reversible door

Total energy consumption per year 296kWh

Energy efficiency rating - A Approximate annual running cost

=£20.72 CFC, HFC free

Detailed specifications p215 Detailed dimensions p219

### Specifications

Model No.	K3990	K4664	K5654	K4624	K5624	K5614	K9724	K9524	K4254	K4204
Description										
Description				•	•	•				
Larder fridge Fridge with 4 star freezer compartment		•	•	•	•	•				
Fridge/freezer		•	•				•	•	•	•
American style fridge/freezer	•						_	_	_	_
Built-in integrated		•	•	•	•	•	•	•	•	•
Built-under integrated		_			_	_ •	_	_	_	-
Side-by-side slot-in	•									
Number of doors	2	1	1	1	1	1	2	2	2	2
Right hinged, reversible doors	side-by-side	•	•	•	•	•	•	•	•	•
Fixed hinge	oldo by oldo	•	•	•	•	•	•	•	•	
Sliding hinge										•
Height mm	1810	1785	1222	1785	1221	1021	1772	1772	1772	1772
· · · · · · · · · · · · · · · · · · ·										
Features										
Frost free freezer	•						•			
Anti bacterial system		•	•	•	•	•	•	•	•	•
Internal LED electronic display		•	•	•	•	•	•	•	•	
SuperFreeze function		•/-		•/-			•/•	•	•	
CircoCool shelving		•	•		•	•		•	•	•
Pull out drawers/tray	2	-/•	-/•	-/•	-/•	-/•	-/•	-/•	-/•	
Salad/humidity control drawers	2/•	2/-	1/•	2/•	1/•	1/•	2/•	1/•	1/•	1/-
Removable magnetic door seals		•	•	•	•	•	•	•	•	•
Krypton light	•	•	•		•	•	•	•	•	
Ice and chilled water dispenser	•									
Freezer compartment	•	•	•							
Freezer drawers	•1						4	3	4	4
Acoustic alarm	•						•			
VarioBox compartment	•									
To de de el ferei con										
Technical features										
CFC-free refrigerant/insulation	•	•	•	•	•	•	•	•	•	•
HFC-free refrigerant/insulation	•	•	•	•	•	•	•	•	•	•
Automatic defrost fridge	•	4	•	•	•	•	-	4	4	-
Freezer star rating <sup>5</sup>	4 •/•	•/-	<b>4</b> •/-	•/-	•/-	•/-	<b>4</b> •/•	•/-	4	4
Adjustable thermostat fridge/freezer  LED display	•	,	•/-	<b>-</b> /-		<b>-</b> /-			-/	•/
Interior light	_		•	•	•	•	,		•/-	•/-
interior light	•	•	•	•	•	•	•	•	•	,
	1	•	•	•	•	•	•	•	•	•/-
Lidded dairy compartments	1	•	1	•	1	1	•	•	•	,
Lidded dairy compartments Egg tray	1	•	1	•	1	1	1	1	1	•
Lidded dairy compartments Egg tray Bottle shelf in door	1	•	1	•	1	1	•	•	•	
Lidded dairy compartments Egg tray	1	•	1	•	1	1	1	1	1	•
Lidded dairy compartments Egg tray Bottle shelf in door Door storage containers	1 • 2	• 2	1 • 2	• 2	1 1	1 1	1 1	1 0 2	1 1	•
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)	1 • 2	• 2 4	1 • 2	• 2 4	1 1 3	1 1 3	1 1 3	1 2 2	1 1 2	1 3
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim	1 • 2	• 2 4 4	1 • 2	• 2 4 6	1 1 3	1 1 3	1 1 3	1 2 2	1 2 3	1 3
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option	1 • 2	• 2 4 4 • •	1 • 2 2 4	• 2 4 6 •	1 1 3 5	1 1 3 4	1 3 3	• • 1 • 2 2	1 2 3	1 3
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim  Split shelf option  Ripple effect compartments Internal freezer temperature gauge	1 • 2	• 2 4 4 • •	1 • 2 2 4	• 2 4 6 •	1 1 3 5	1 1 3 4	1 3 3	• • 1 • 2 2	1 2 3	1 3
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information	1 • 2 3 3/-	4 4	2 2 4	4 6 •	1 1 1 3 5	1 3 4	1 3 3	2 2 4	1 2 3	1 3 3
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³	1 • 2 3 3/- 536/19.1	4 4 4 •	2 2 4 -	4 6 •	1 1 3 5	1 1 3 4 •	1 0 1 3 3 3	• • 1 • 2 2 2 4	1 0 1 1 2 3 0	1 3 3 3
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³  Total fridge net capacity litres/ft³	1 • 2 3 3/- 536/19.1 330/11.8	• 2 4 4 • • • 2 290/10.2 253/8.9	2 2 4 •	4 6 •	1 1 3 5	1 1 3 4 •	1 1 3 3 3 - 235/8.2	• • 1 • 2 2 4 • • 2 2 4 • • 2 2 2 2 4 • • • •	1 1 2 3 •	1 3 3 3 263/8.3 167.5.9
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³  Total fridge net capacity litres/ft³  Freezer net capacity litres/ft³	1 • 2 3 3/- 536/19.1 330/11.8 170/6	• 2 4 4 • • • • 2 290/10.2 253/8.9 37/1.3	2 2 4 2 206/7.3 189/6.7 17/0.6	4 6 •	1 1 3 5	1 1 3 4 •	3 3 3 - 235/8.2 147/5.2 88/3.0	285/10 222/7.8 63/2.2	1 2 3 • • • 263/9.3 167/5.9 96/3.4	1 3 3 3 263/8.3 167.5.9 96/3.4
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³  Total fridge net capacity litres/ft³  Freezer net capacity litres/ft³  Kg freezing capacity in 24 hrs	1 • 2 3 3/- 536/19.1 330/11.8 170/6 8	• 2 4 4 • • • 2 290/10.2 253/8.9 37/1.3	2 2 4 2 2 06/7.3 189/6.7 17/0.6 2	4 6 •	1 1 3 5	1 1 3 4 •	• • • 1 • 1 • 1 • 1 • 3 3 3 • • • • • 235/8.2 147/5.2 88/3.0 7	285/10 222/7.8 63/2.2	263/9.3 167/5.9 96/3.4 6	1 3 3 3 263/8.3 167.5.9 96/3.4 6
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³  Total fridge net capacity litres/ft³  Freezer net capacity litres/ft³  Kg freezing capacity in 24 hrs  Storage time in power failure³	1 • 2 3 3/- 536/19.1 330/11.8 170/6 8 5	• 2 4 4 • • • • 2 290/10.2 253/8.9 37/1.3 3 18	206/7.3 189/6.7 17/0.6 2	4 6 • • • 310/10.9	• 1 • 1 • 1 · 1 · 3 · 5 · • • • • • • • • • • • • • • • • •	• 1 1 3 4 4 • 184/6.5 184/6.5	• • • 1 1 3 3 3 • • • • 235/8.2 147/5.2 88/3.0 7 18	285/10 222/7.8 63/2.2 6	263/9.3 167/5.9 96/3.4 6 24	1 3 3 3 263/8.3 167.5.9 96/3.4 6 24
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³  Total fridge net capacity litres/ft³  Kg freezing capacity litres/ft³  Kg freezing capacity in 24 hrs  Storage time in power failures  Energy consumption in 24 hrs kWh7	1 • 2 3 3/- 536/19.1 330/11.8 170/6 8 5 1.43	• 2 4 4 • • • 2 290/10.2 253/8.9 37/1.3 3 18 0.83	206/7.3 189/6.7 17/0.6 2 12 0.72	4 6 • • 310/10.9 310/10.9	• 1 • 1 · 1 · 3 · 5 · • • · 226/8 · 226/8 · 0.45	1 3 4 4 • 184/6.5 184/6.5	• • • 1 1 3 3 3 • • • • • • • • • • • •	285/10 222/7.8 63/2.2 6 22 0.87	263/9.3 167/5.9 96/3.4 6 24 0.89	263/8.3 3 167.5.9 96/3.4 6 24 0.89
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³ Total fridge net capacity litres/ft³ Freezer net capacity litres/ft³ Kg freezing capacity in 24 hrs Storage time in power failures Energy consumption in 24 hrs kWh² Annual energy consumption kWh²	1 • 2 3 3/- 536/19.1 330/11.8 170/6 8 5 1.43 522	• 2 4 4 • • • • 2 290/10.2 253/8.9 37/1.3 3 18 0.83 303	206/7.3 189/6.7 17/0.6 2 12 0.72 262	4 6 • • 310/10.9 310/10.9 0.49	• 1 • 1 · 1 · 3 · 5 · • • • • • • • • • • • • • • • • •	1 1 3 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	235/8.2 147/5.2 88/3.0 7 18 0.92 336	285/10 222/7.8 63/2.2 6 22 0.87 318	263/9.3 167/5.9 96/3.4 6 24 0.89 325	263/8.3 3 167.5.9 96/3.4 6 24 0.89 325
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³ Total fridge net capacity litres/ft³ Freezer net capacity litres/ft³ Kg freezing capacity in 24 hrs Storage time in power failures Energy consumption in 24 hrs kWh² Annual energy consumption kWh² Annual running cost³	1 • 2 3 3/- 536/19.1 330/11.8 170/6 8 5 1.43 522 £36.54	• 2 4 4 • • • 2 290/10.2 253/8.9 37/1.3 3 18 0.83 303 £21.21	206/7.3 189/6.7 17/0.6 2 0.72 262 £18.32	310/10.9 310/10.9 310/10.9 0.49 179 £12.53	• 1	184/6.5 184/6.5 0.43 158 £10.75	• • • 1 1 3 3 3 • • • • • • • • • • • •	285/10 222/7.8 63/2.2 6 22 0.87 318	263/9.3 167/5.9 96/3.4 6 24 0.89 325 £22.75	263/8.3 3 167.5.9 96/3.4 6 24 0.89 325 £22.75
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³ Total fridge net capacity litres/ft³ Kg freezing capacity litres/ft³ Kg freezing capacity in 24 hrs Storage time in power failures Energy consumption in 24 hrs kWh² Annual energy consumption kWh² Annual running cost³ Energy efficiency ratings	1 • 2 3 3/- 536/19.1 330/11.8 170/6 8 5 1.43 522 £36.54 A	• 2 4 4 • • 2 253/8.9 37/1.3 3 18 0.83 303 £21.21	206/7.3 189/6.7 17/0.6 2 12 0.72 262 £18.32	• 2 4 6 • • 310/10.9 310/10.9 0.49 179 £12.53 A	• 1 • 1 • 1 · 1 · 3 · 5 · • • • • • • • • • • • • • • • • •	184/6.5 184/6.5 0.43 158 £10.75	235/8.2 147/5.2 88/3.0 7 18 0.92 336 £23.02 A	285/10 222/7.8 63/2.2 6 22 0.87 318 \$22.23	263/9.3 167/5.9 96/3.4 6 24 30 167/5.9 96/3.4 6 24 0.89 325 £22.75	263/8.3 3 167.5.9 96/3.4 6 24 0.89 325 \$\frac{2}{2}2.75 A
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³  Total fridge net capacity litres/ft³  Freezer net capacity litres/ft³  Kg freezing capacity in 24 hrs Storage time in power failure³  Energy consumption in 24 hrs kWhr²  Annual energy consumption kWhr³  Annual running cost³  Energy efficiency rating³  Operating climate zone⁴	1 • 2 3 3/- 536/19.1 330/11.8 170/6 8 5 1.43 522 £36.54 A SN-ST	• 2 4 4 • • • 2 290/10.2 253/8.9 37/1.3 3 18 0.83 303 £21.21 A	206/7.3 189/6.7 17/0.6 2 12 0.72 262 £18.32 A SN-ST	• 2 4 6 • • 9 310/10.9 310/10.9 0.49 179 £12.53 A SN-ST	226/8 226/8 226/8 0.45 163 £11.42 A SN-ST	• 1 1 3 4 4 • 184/6.5 184/6.5 0.43 158 £10.75 A SN-ST	235/8.2 147/5.2 88/3.0 7 18 0.92 336 £23.02 A	285/10 222/7.8 63/2.2 6 22 0.87 318 \$22.23 A	263/9.3 167/5.9 96/3.4 6 24 0.89 325 £22.75 A	1 3 3 3 167.5.9 96/3.4 6 24 0.89 325 \$22.75 A \$N-ST
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³  Total fridge net capacity litres/ft³  Kg freezing capacity litres/ft³  Kg freezing capacity in 24 hrs  Storage time in power failure®  Energy consumption in 24 hrs kWh²  Annual energy consumption kWh²  Annual running cost³  Energy efficiency rating®  Operating climate zone⁴  Noise level (dB(A) re 1pW)	1 • 2 3 3/- 536/19.1 330/11.8 170/6 8 5 1.43 522 £36.54 A SN-ST 45	• 2 4 4 • • • 2 290/10.2 253/8.9 37/1.3 3 18 0.83 303 £21.21 A SN 42	206/7.3 189/6.7 17/0.6 2 12 0.72 262 £18.32 A SN-ST 38	• 2 4 6 • • 9 310/10.9 310/10.9 0.49 179 £12.53 A SN-ST 42	• 1 1 3 5 5 • • • 226/8 226/8 226/8 0.45 163 £11.42 A SN-ST 35	• 1 1 3 4 4 • 1 84/6.5 184/6.5 0.43 158 £10.75 A SN-ST 35	• • • 1 1 3 3 3 • • • • 235/8.2 147/5.2 88/3.0 7 18 0.92 336 £23.02 A SN 44	• • • 1 • 2 2 4 • • 222/7.8 63/2.2 6 222 0.87 318 £22.23 A SN-ST 41	• • • • 1 1 2 3 3 • • • • • • • • • • • • • • • • •	1 3 3 3 167.5.9 96/3.4 6 24 0.89 325 £22.75 A SN-ST 41
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information  Total recapacity litres/ft³  Total fridge net capacity litres/ft³  Freezer net capacity litres/ft³  Kg freezing capacity in 24 hrs  Storage time in power failure®  Energy consumption in 24 hrs kWh7  Annual renergy consumption kWh7  Annual renergy consumption kWh7  Annual running cost®  Energy efficiency rating®  Operating climate zone4  Noise level (dB(A) re 1pW)  Supply voltage (V)	1 • 2 3 3/- 536/19.1 330/11.8 170/6 8 5 1.43 522 £36.54 A SN-ST 45 220-230	• 2 4 4 • • • 2 290/10.2 253/8.9 37/1.3 3 18 0.83 303 £21.21 A SN 42 220-240	206/7.3 189/6.7 17/0.6 2 12 0.72 262 £18.32 A SN-ST 38 220-240	• 2 4 6 • • 310/10.9 310/10.9 0.49 179 £12.53 A SN-ST 42 220-240	0.45 161.42 A SN-ST 35 220-240	• 1 1 3 4 4 • 1 84/6.5 184/6.5 184/6.5 0.43 158 £10.75 A SN-ST 35 220-240	235/8.2 147/5.2 88/3.0 7 18 0.92 336 £23.02 A SN 44 220-240	285/10 222/7.8 63/2.2 6 222 0.87 318 £22.23 A SN-ST 41	263/9.3 167/5.9 96/3.4 6 24 0.89 325 £22.75 A SN-ST 41 220-240	263/8.3 3 167.5.9 96/3.4 6 24 0.89 325 £22.75 A SN-ST 41 220-240
Lidded dairy compartments  Egg tray  Bottle shelf in door  Door storage containers (excluding dairy and bottle shelf)  Adj. safety glass shelves/AntiSpill trim Split shelf option  Ripple effect compartments Internal freezer temperature gauge  Technical information  Total net capacity litres/ft³  Total fridge net capacity litres/ft³  Kg freezing capacity litres/ft³  Kg freezing capacity in 24 hrs  Storage time in power failure®  Energy consumption in 24 hrs kWh²  Annual energy consumption kWh²  Annual running cost³  Energy efficiency rating®  Operating climate zone⁴  Noise level (dB(A) re 1pW)	1 • 2 3 3/- 536/19.1 330/11.8 170/6 8 5 1.43 522 £36.54 A SN-ST 45	• 2 4 4 • • • 2 290/10.2 253/8.9 37/1.3 3 18 0.83 303 £21.21 A SN 42	206/7.3 189/6.7 17/0.6 2 12 0.72 262 £18.32 A SN-ST 38	• 2 4 6 • • 9 310/10.9 310/10.9 0.49 179 £12.53 A SN-ST 42	• 1 1 3 5 5 • • • 226/8 226/8 226/8 0.45 163 £11.42 A SN-ST 35	• 1 1 3 4 4 • 1 84/6.5 184/6.5 0.43 158 £10.75 A SN-ST 35	• • • 1 1 3 3 3 • • • • 235/8.2 147/5.2 88/3.0 7 18 0.92 336 £23.02 A SN 44	• • • 1 • 2 2 4 • • 222/7.8 63/2.2 6 222 0.87 318 £22.23 A SN-ST 41	• • • • 1 1 2 3 3 • • • • • • • • • • • • • • • • •	1 3 3 3 167.5.9 96/3.4 6 24 0.89 325 £22.75 A SN-ST 41

K8524	K9514	K5604	K1514	K4336	K4316
	•	•	•		•
				•	
•	•				
•	•	•	•		
				•	•
0	0	- 4	-1	-1	- 4
2	2	1	1	1	1
	•	•		•	•
•			•		
1772	1578	874	874	820	820
•	•	•	•	•	•
_	•	•		_	
	•	-			
•		•			
	-/•	-/•			
1/-	1/•	1/•	1/-	1/-	1/-
•	•	•	•	•	•
		•			
0	0				
3	3				
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
4	4	-/	•/	4	•/
•/-	•/-	•/-	•/-	•/-	•/-
•	•	•	•	•	•
	1	1		1	1
•	•	•		•	•
1	1	1	1	1	1
4					
4	3	3	3	3	3
4	3	3	3		3
	•	•			
000/00	044/0.0	150/5 4	151/50	100/40	141/50
282/9.9 219/7.7	244/8.6 181/6.4	153/5.4	151/5.3 151/5.3	128/4.6 112/4.0	141/5.0 141/5.0
63/2.2	63/2.2	100/0.4	101/0.3	16/0.6	141/5.0
4	6			2	
18	22			12	
0.87	0.82	0.42	0.42	0.56	0.40
318	301	154	154	204	146
£22.23	£21.07	£10.75	£10.75	£14.28	£10.22
Α	А	А	А	Α	Α
SN-ST	SN-ST	SN-ST	SN-ST	SN	SN-ST
44	44	35	35	38	38
		220-240			
120	120 62	90	90	75	70
66	02	36	36	39	39

Model No	G5624	G1524	G4344
Description			
Freezer	•	•	•
Built-in integrated	•	•	
Built-under integrated			•
Side-by-side slot-in (decor panelable)			
Number of doors	1	1	1
Right hinged, reversible doors	•	•	•
Fixed hinge fixing	•		•
Sliding hinge fixing		•	
Height mm	874	874	820
Special features			
Frost free freezer			
Transparent freezer drawers	•		•
SuperFreeze function	•		•
Berry tray	•		
Removable magnetic door seal	•		
Freezer drawers	4	4	3
Fast freeze button	•	•	•
Technical features Acoustic alarm			•
Anti bacterial system inside			
CFC-free refrigerant/insulation	•	•	•
HFC-free refrigerant/insulation	•	•	•
Automatic defrost fridge			
Freezer star rating <sup>5</sup>	4	4	4
Adjustable thermostat fridge/freezer	-/•	-/•	-/•
Warning light	•	•	•
Internal freezer temperature gauge			•
Technical information			
Total net capacity litres/ft <sup>3</sup>	98/3.5	98/3.5	100/3.5
Total fridge net capacity litres/ft <sup>3</sup>			
Freezer net capacity litres/ft <sup>3</sup>	98/3.5	98/3.5	100/3.5
Kg freezing capacity in 24 hrs	12	12	12
Storage time in power failure <sup>6</sup>	20	16	24
Energy consumption in 24 hrs kWh <sup>7</sup>	0.57	0.57	0.58
Annual energy consumption kWh7	208	208	212
Annual running cost <sup>9</sup>	£14.56	£14.56	£14.32
Energy classification <sup>®</sup>	Α	Α	А
Operating climate zone4	SN-ST	SN-ST	SN
Noise level (dB(A) re 1pW)	38	38	39
Supply voltage (V)	220-240	220-240	220-240
Total connected load (W)	90	90	80
Weight kg inc. packaging	40	36	38

Notes

• = fitted/yes

¹ Freezer with basket, shelves and door compartments

² 0.5-3.0°C depending on ambient

<sup>&</sup>lt;sup>3</sup> One hinged door, one pull-out drawer

Cooling appliances are designed to operate within specific room temperatures:

N= +16°C to +32°C; SN= +10°C to +32°C, N-ST (16°C to +38°C), SN-ST= +10°C to +38°C

4 star = freezer temperature -18°C or lower (plus fresh food can

<sup>Temperature rise time from-18°C to-9°C when fully laden
Tenergy consumption calculated in accordance with DIN standard</sup> EN153 1990 edition. Data enables a comparison to be made between similar models. The circumstances of practical


operation may lead to deviations.


<sup>a</sup> EC rating scheme to compare energy efficiency of similar models. As a guideline, classification A, B and C are very economical to economical, D is average and E to G represents higher to high consumption.


Based on 7p per kWh.


\* For pull out drawer


### Fridge and freezer dimensions














### Fridge and freezer dimensions

